



OPROO



COFFEE MACHINES & MILK COOLERS

TT SMART COFFEE MACHINES

About OPROO

Smart Vending Solutions Built for Real Operators

At OPROO, we believe vending should be simple, reliable, and profitable for operators. That's why we design and deliver modern vending solutions that work in real-world conditions — not just in showrooms.

Our mission is clear: make professional vending accessible, without compromising on quality, performance, or long-term value.

Backed by QUVend Zrt., OPROO combines deep industry expertise with practical innovation to help vending operators grow efficiently and sustainably.

Experience that powers results

With over 20 years of experience in the vending industry, including 15 years in operations and 8 years in wholesale distribution, QUVend Zrt. has become one of the leading vending wholesalers in Central and Eastern Europe since its founding in 2017.

We understand the daily challenges operators face because we've worked in the field ourselves. From machine reliability to service efficiency, our solutions are built around what truly matters in everyday operation.





Nine Reasons Operators Trust OPROO

Practical benefits and services that make the difference.



Spare Parts & Local Support

Large machine stock in Budapest



Premium Certified Quality

CE, SGS, also TÜV, EPREL LABEL



Option for extended warranty

+1 (200EUR) or +2 years 400EUR



High-end Grinders

Engineered for flavor clarity and optimal performance



Value for money

Prices are about par on a refurbished used machine



Min 10 in Touch Screen

Clear interface ensuring smooth and simple operation



TRADE in option

for your used machines



Exclusive look

Designed to stand out in modern spaces



Combo Offers

Take with coffee and get 100EUR discount



Check out OPROO machines

Solutions for every need.



ECO SN SERIES

PRO SN SERIES

PRO SN LIFT

PRO SN OUTDOOR

PRO ICE CREAM

PRO SMART COOLER

COFFEE MACHINES

PRO COFFEE MACHINES







MILK COOLER

PAYMENT TERMINAL



OPROO COFFEE MACHINES

TECHNICAL DATA

Modell Line		OPROO COFFEE MACHINES			OPROO PRO COFFEE MACHINES		
Modell Name		TT51	TT90	TT 100P	PRO TT55	PRO TT95	PRO TT300
PICTURES							
Type		1B	1B 2P	1B 2P	1B	2B 2P	2B 2P
DIMENSIONS	Depth (mm)	490	545	445	559	560	560
	Width (mm)	300	340	615	304	380	380
	Height (mm)	548	620	830	628	670	675
	Weight (kg)	19	26,5	40,5	18,8	29	33
	Touch Screen (inch)	10" (horizontal)	10.1" (horizontal)	14" (vertical)	10.1" (horizontal)	10.1" (horizontal)	10" (horizontal)
	Spout Height (mm)	80-160	80-180	140	75-155	100-160	100-160
RECOMMENDED USE	Recommended Daily Cups	100	200	250	100	100	200
CONTENT	Water Tank Capacity (L)	2	4	2	2	2/6	4
	Bean Container Capacity (g)	1200	1500	1500	1000	2x1000	2X1000
	Capacity canister for instant (chocolat) milk (grams)	no	1x1.200, 1x1.000	1x3500, 1x2300	no	2x1000	2x1200
	Waste bin (number of puks)	± 50	± 70	± 50	± 50	± 45	± 45
	Drip Tray	1.0L, direct drainage	1x1.5L	1x1.3L	2L	4L	2L
TECHNICAL SPECIFICATIONS	Power usage 220 - 240V (Watts)	50/60Hz, 2850	50/60Hz, 2700	50/60Hz, 2700	50/60Hz, 3100	50/60Hz, 2500	50/60Hz, 2600
	Grinder	1x	1x	1x	1x	2x	2x
	No of instant canisters	0	2	2	0	2	2
	Brewer (g)	7-14	7-21	7-14	7-14	6-16 (removable)	9-22
MILK SYSTEM	Milk Foam	YES	YES	YES	YES	YES	YES
	Fresh Milk	YES	YES	no	YES	YES	YES
OTHER	User Interface Language	EN, DE, HU, SK, CZ, RO, HR			EN, DE, HU, SK, CZ, RO, HR		
	Certificates	CE			CE		
LIST PRICE		1 250 €	2 500 €	2 400 €	1 400 €	2 900 €	3 200 €

DISCOVER MORE



TT51

Compact. Reliable. Easy Use.

Technical data

DIMENSIONS	Depth (mm)	490
	Width (mm)	300
	Height (mm)	548
	Weight (kg)	19
	Touch Screen (inch)	10" (horizontal)
	Spout Height (mm)	80-160
RECOMMENDED USE	Recommended Daily Cups	100
	Water Tank Capacity (L)	2
CONTENT	Bean Container Capacity (g)	1200
	Capacity canister for instant (chocolat) milk (grams)	no
	Waste bin (number of paks)	± 50
	Drip Tray	1.0L, direct drainage
	Power usage 220 - 240V (Watts)	50/60Hz, 2850
TECHNICAL SPECIFICATIONS	Grinder	1x
	No of instant canisters	0
	Brewer (g)	7-14
	Milk Foam	YES
MILK SYSTEM	Fresh Milk	YES
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
OTHER	Certificates	CE
	LIST PRICE	1250 €



Auto milk self-cleaning, premium Italian design with touchscreen, removable bean hopper for easy use.



1 Bean



Fresh Milk option

TT90

Versatile. Intuitive. Hygienic.

Technical data

DIMENSIONS	Depth (mm)	545
	Width (mm)	340
	Height (mm)	620
	Weight (kg)	26,5
	Touch Screen (inch)	10.1" (horizontal)
	Spout Height (mm)	80-180
RECOMMENDED USE	Recommended Daily Cups	200
	Water Tank Capacity (L)	4
CONTENT	Bean Container Capacity (g)	1500
	Capacity canister for instant (chocolat) milk (grams)	1x1.200, 1x1.000
	Waste bin (number of pucks)	± 70
	Drip Tray	1x1.5L
	Power usage 220 - 240V (Watts)	50/60Hz, 2700
TECHNICAL SPECIFICATIONS	Grinder	1x
	No of instant canisters	2
	Brewer (g)	7-21
	Milk Foam	YES
MILK SYSTEM	Fresh Milk	YES
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
OTHER	Certificates	CE
	LIST PRICE	2 500 €

DISCOVER MORE



Dual pump & dual boiler for fast simultaneous coffee and milk preparation, and a dedicated hot water spout for added convenience.



**1 Bean
2 Powder**



**Fresh Milk
option**

TT100 P

Stylish. Powerful. Precise.

Technical data

DIMENSIONS	Depth (mm)	445
	Width (mm)	615
	Height (mm)	830
	Weight (kg)	40,5
	Touch Screen (inch)	14" (vertical)
	Spout Height (mm)	140
RECOMMENDED USE	Recommended Daily Cups	250
	Water Tank Capacity (L)	2
CONTENT	Bean Container Capacity (g)	1500
	Capacity canister for instant (chocolat) milk (grams)	1x3500, 1x2300
	Waste bin (number of pucks)	± 50
	Drip Tray	1x1.3L
	Power usage 220 - 240V (Watts)	50/60Hz, 2700
TECHNICAL SPECIFICATIONS	Grinder	1x
	No of instant canisters	2
	Brewer (g)	7-14
	Milk System	
MILK SYSTEM	Milk Foam	YES
	Fresh Milk	no
OTHER	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
LIST PRICE		2 400 €



2700W boiler for stable 9-bar extraction at 92°C, and Ditting EMH64 grinder for precise, high-quality grinding.



**1 Bean
2 Powder**



**14" inch
screen**

DISCOVER MORE

PRO TT55

Compact. Professional. Smart.

Technical data



DIMENSIONS	Depth (mm)	559
	Width (mm)	304
	Height (mm)	628
	Weight (kg)	18,8
	Touch Screen (inch)	10.1" (horizontal)
	Spout Height (mm)	75-155
RECOMMENDED USE	Recommended Daily Cups	100
	Water Tank Capacity (L)	2
CONTENT	Bean Container Capacity (g)	1000
	Capacity canister for instant (chocolat) milk (grams)	no
	Waste bin (number of puks)	± 50
	Drip Tray	2L
	Power usage 220 - 240V (Watts)	50/60Hz, 3100
TECHNICAL SPECIFICATIONS	Grinder	1x
	No of instant canisters	0
	Brewer (g)	7-14
	Milk Foam	YES
MILK SYSTEM	Fresh Milk	YES
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
OTHER	Certificates	CE
	LIST PRICE	1400 €



Equipped with dual thermoblocks and dual pumps. Coffee Cloud.


1 Bean

Fresh Milk option

DISCOVER MORE

PRO TT95

Premium. Smart. High Capacity.

Technical data

DIMENSIONS	Depth (mm)	560
	Width (mm)	380
	Height (mm)	670
	Weight (kg)	29
	Touch Screen (inch)	10.1" (horizontal)
	Spout Height (mm)	100-160
RECOMMENDED USE	Recommended Daily Cups	100
CONTENT	Water Tank Capacity (L)	2/6
	Bean Container Capacity (g)	2x1000
	Capacity canister for instant (chocolat) milk (grams)	2x1000
	Waste bin (number of puks)	± 45
	Drip Tray	4L
TECHNICAL SPECIFICATIONS	Power usage 220 - 240V (Watts)	50/60Hz, 2500
	Grinder	2x
	No of Instant canisters	2
	Brewer (g)	6-16 (removable)
MILK SYSTEM	Milk Foam	YES
	Fresh Milk	YES
OTHER	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
LIST PRICE		2 900 €



105 cups espresso per hour (DIN18873-2).
Intelligent Cooler.



**2 Bean
2 Powder**



**Fresh Milk
option**

DISCOVER MORE

PRO TT300

High Performance. Specialty Coffee. Premium.



Technical data

DIMENSIONS	Depth (mm)	560
	Width (mm)	380
	Height (mm)	675
	Weight (kg)	33
	Touch Screen (Inch)	10" (horizontal)
	Spout Height (mm)	100-160
RECOMMENDED USE	Recommended Daily Cups	200
CONTENT	Water Tank Capacity (L)	4
	Bean Container Capacity (g)	2X1000
	Capacity canister for instant (chocolat) milk (grams)	2x1200
	Waste bin (number of puks)	± 45
	Drip Tray	2L
TECHNICAL SPECIFICATIONS	Power usage 220 - 240V (Watts)	50/60Hz, 2600
	Grinder	2x
	No of instant canisters	2
MILK SYSTEM	Brewer (g)	9-22
	Milk Foam	YES
OTHER	Fresh Milk	YES
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
LIST PRICE	Certificates	CE
LIST PRICE		3 200 €







2 Boilers & Metal side panel upgrade version of PRO TT95. Cold Milk.



**2 Bean
2 Powder**



**Fresh Milk
option**

		OPROO MILK COOLER		OPROO PRO MILK COOLER	
		TT51C	TT90C	PRO TT55C	PRO TT300C
PICTURES					
	DIMENSIONS	Depth (mm)	400	420	450
	Width (mm)	220	240	220	250
	Height (mm)	402	610	456	479
	Weight (kg)	12	14	14,1	16
	Cooler Size (L)	6,5	10	10	10
	Milk Tank Size (L)	4	6	4	5
SPECIFICATIONS	Temperature Range	0-4°C	1-5°C	0.8-5.5°C	0-4°C
	Voltage / Frequency	220V / 50Hz		220V / 50Hz	
	Rated Power (W)	48	65	110-120	115
LIST PRICE		420 €	550 €	450 €	650 €

SCAN FOR PRODUCT INFORMATION

TT51 C



TT90 C



PRO TT55 C



PRO TT300 C





CONTACT US:



Address

1103 Budapest, Gyömrői út 150

Phone

EN: +36 302573079
DE: +49 1722996801

Website

www.oproo.com

E-mail

info@oproo.com