



OPROO



COFFEE MACHINES & MILK COOLERS

TT SMART COFFEE MACHINES

About OPROO

Smart Vending Solutions Built for Real Operators

At OPROO, we believe vending should be simple, reliable, and profitable for operators.

That's why we design and deliver modern vending solutions that work in real-world conditions — not just in showrooms.

Our mission is clear: make professional vending accessible, without compromising on quality, performance, or long-term value.

Backed by QUVend Zrt., OPROO combines deep industry expertise with practical innovation to help vending operators grow efficiently and sustainably.

Experience that powers results

With over 20 years of experience in the vending industry, including 15 years in operations and 8 years in wholesale distribution, QUVend Zrt. has become one of the leading vending wholesalers in Central and Eastern Europe since its founding in 2017.

We understand the daily challenges operators face because we've worked in the field ourselves. From machine reliability to service efficiency, our solutions are built around what truly matters in everyday operation.





Nine Reasons Operators Trust OPROO

Practical benefits and services that make the difference.



Spare Parts & Local Support

Large machine stock in Budapest



Premium Certified Quality

CE, SGS, also TÜV, EPREL LABEL



Option for extended warranty

+1 (200EUR) or +2 years 400EUR



High-end Grinders

Engineered for flavor clarity and optimal performance



Value for money

Prices are about par on a refurbished used machine



Min 10 in Touch Screen

Clear interface ensuring smooth and simple operation



TRADE in option

for your used machines



Exclusive look

Designed to stand out in modern spaces



Combo Offers

Take with coffee and get 100EUR discount



Check out OPROO machines

Solutions for every need.



ECO SN SERIES

PRO SN SERIES

PRO SN LIFT

PRO SN OUTDOOR

PRO ICE CREAM

PRO SMART COOLER

COFFEE MACHINES

PRO COFFEE MACHINES







MILK COOLER

PAYMENT TERMINAL



OPROO COFFEE MACHINES

TECHNICAL DATA

| Modell Line | | OPROO COFFEE MACHINES | | | OPROO PRO COFFEE MACHINES | | |
|--------------------------|---|---|---|---|---|---|---|
| Modell Name | | TT51 | TT90 | TT 100P | PRO TT55 | PRO TT95 | PRO TT300 |
| PICTURES | |  |  |  |  |  |  |
| Type | | 1B | 1B 2P | 1B 2P | 1B | 2B 2P | 2B 2P |
| DIMENSIONS | Depth (mm) | 490 | 545 | 445 | 559 | 560 | 560 |
| | Width (mm) | 300 | 340 | 615 | 304 | 380 | 380 |
| | Height (mm) | 548 | 620 | 830 | 628 | 670 | 675 |
| | Weight (kg) | 19 | 26,5 | 40,5 | 18,8 | 29 | 33 |
| | Touch Screen (inch) | 10" (horizontal) | 10.1" (horizontal) | 14" (vertical) | 10.1" (horizontal) | 10.1" (horizontal) | 10" (horizontal) |
| | Spout Height (mm) | 80-160 | 80-180 | 140 | 75-155 | 100-160 | 100-160 |
| RECOMMENDED USE | Recommended Daily Cups | 100 | 200 | 250 | 100 | 100 | 200 |
| CONTENT | Water Tank Capacity (L) | 2 | 4 | 2 | 2 | 2/6 | 4 |
| | Bean Container Capacity (g) | 1200 | 1500 | 1500 | 1000 | 2x1000 | 2X100 |
| | Capacity canister for instant (chocolat) milk (grams) | no | 1x1.200, 1x1.000 | 1x3500, 1x2300 | no | 2x1000 | 2x1200 |
| | Waste bin (number of puks) | ± 50 | ± 70 | ± 50 | ± 50 | ± 45 | ± 45 |
| | Drip Tray | 1.0L, direct drainage | 1x1.5L | 1x1.3L | 2L | 4L | 2L |
| TECHNICAL SPECIFICATIONS | Power usage 220 - 240V (Watts) | 50/60Hz, 2850 | 50/60Hz, 2700 | 50/60Hz, 2700 | 50/60Hz, 3100 | 50/60Hz, 2500 | 50/60Hz, 2600 |
| | Grinder | 1x | 1x | 1x | 1x | 2x | 2x |
| | No of instant canisters | 0 | 2 | 2 | 0 | 2 | 2 |
| | Brewer (g) | 7-14 | 7-21 | 7-14 | 7-14 | 6-16 (removable) | 9-22 |
| MILK SYSTEM | Milk Foam | YES | YES | YES | YES | YES | YES |
| | Fresh Milk | YES | YES | no | YES | YES | YES |
| OTHER | User Interface Language | EN, DE, HU, SK, CZ, RO, HR | | | EN, DE, HU, SK, CZ, RO, HR | | |
| | Certificates | CE | | | CE | | |
| LIST PRICE | | 1 250 € | 2 500 € | 2 400 € | 1 400 € | 2 900 € | 3 200 € |

DISCOVER MORE



TT51

Compact. Reliable. Easy Use.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 490 |
| | Width (mm) | 300 |
| | Height (mm) | 548 |
| | Weight (kg) | 19 |
| | Touch Screen (inch) | 10" (horizontal) |
| | Spout Height (mm) | 80-160 |
| RECOMMENDED USE | Recommended Daily Cups | 100 |
| | Water Tank Capacity (L) | 2 |
| CONTENT | Bean Container Capacity (g) | 1200 |
| | Capacity canister for instant (chocolat) milk (grams) | no |
| | Waste bin (number of paks) | ± 50 |
| | Drip Tray | 1.0L, direct drainage |
| | Power usage 220 - 240V (Watts) | 50/60Hz, 2850 |
| TECHNICAL SPECIFICATIONS | Grinder | 1x |
| | No of instant canisters | 0 |
| | Brewer (g) | 7-14 |
| | Milk Foam | YES |
| MILK SYSTEM | Fresh Milk | YES |
| | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| OTHER | Certificates | CE |
| | LIST PRICE | 1250 € |



Auto milk self-cleaning, premium Italian design with touchscreen, removable bean hopper for easy use.



1 Bean



Fresh Milk option

TT90

Versatile. Intuitive. Hygienic.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 545 |
| | Width (mm) | 340 |
| | Height (mm) | 620 |
| | Weight (kg) | 26,5 |
| | Touch Screen (inch) | 10.1" (horizontal) |
| | Spout Height (mm) | 80-180 |
| RECOMMENDED USE | Recommended Daily Cups | 200 |
| | Water Tank Capacity (L) | 4 |
| CONTENT | Bean Container Capacity (g) | 1500 |
| | Capacity canister for instant (chocolat) milk (grams) | 1x1.200, 1x1.000 |
| | Waste bin (number of pucks) | ± 70 |
| | Drip Tray | 1x1.5L |
| | Power usage 220 - 240V (Watts) | 50/60Hz, 2700 |
| TECHNICAL SPECIFICATIONS | Grinder | 1x |
| | No of instant canisters | 2 |
| | Brewer (g) | 7-21 |
| | Milk Foam | YES |
| MILK SYSTEM | Fresh Milk | YES |
| | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| OTHER | Certificates | CE |
| | LIST PRICE | 2 500 € |

DISCOVER MORE



Dual pump & dual boiler for fast simultaneous coffee and milk preparation, and a dedicated hot water spout for added convenience.



**1 Bean
2 Powder**



**Fresh Milk
option**

TT100 P

Stylish. Powerful. Precise.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 445 |
| | Width (mm) | 615 |
| | Height (mm) | 830 |
| | Weight (kg) | 40,5 |
| | Touch Screen (inch) | 14" (vertical) |
| | Spout Height (mm) | 140 |
| RECOMMENDED USE | Recommended Daily Cups | 250 |
| | Water Tank Capacity (L) | 2 |
| CONTENT | Bean Container Capacity (g) | 1500 |
| | Capacity canister for instant (chocolat) milk (grams) | 1x3500, 1x2300 |
| | Waste bin (number of pucks) | ± 50 |
| | Drip Tray | 1x1.3L |
| | Power usage 220 - 240V (Watts) | 50/60Hz, 2700 |
| TECHNICAL SPECIFICATIONS | Grinder | 1x |
| | No of instant canisters | 2 |
| | Brewer (g) | 7-14 |
| | Milk System | |
| MILK SYSTEM | Milk Foam | YES |
| | Fresh Milk | no |
| OTHER | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| | Certificates | CE |
| LIST PRICE | | 2 400 € |



2700W boiler for stable 9-bar extraction at 92°C, and Ditting EMH64 grinder for precise, high-quality grinding.



**1 Bean
2 Powder**



**14" inch
screen**

PRO TT55

Compact. Professional. Smart.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 559 |
| | Width (mm) | 304 |
| | Height (mm) | 628 |
| | Weight (kg) | 18,8 |
| | Touch Screen (inch) | 10.1" (horizontal) |
| | Spout Height (mm) | 75-155 |
| RECOMMENDED USE | Recommended Daily Cups | 100 |
| CONTENT | Water Tank Capacity (L) | 2 |
| | Bean Container Capacity (g) | 1000 |
| | Capacity canister for instant (chocolat) milk (grams) | no |
| | Waste bin (number of puks) | ± 50 |
| | Drip Tray | 2L |
| TECHNICAL SPECIFICATIONS | Power usage 220 - 240V (Watts) | 50/60Hz, 3100 |
| | Grinder | 1x |
| | No of instant canisters | 0 |
| | Brewer (g) | 7-14 |
| MILK SYSTEM | Milk Foam | YES |
| | Fresh Milk | YES |
| OTHER | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| | Certificates | CE |
| LIST PRICE | | 1400 € |



Equipped with dual thermoblocks and dual pumps. Coffee Cloud.



1 Bean



Fresh Milk option

DISCOVER MORE

PRO TT95

Premium. Smart. High Capacity.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 560 |
| | Width (mm) | 380 |
| | Height (mm) | 670 |
| | Weight (kg) | 29 |
| | Touch Screen (inch) | 10.1" (horizontal) |
| | Spout Height (mm) | 100-160 |
| RECOMMENDED USE | Recommended Daily Cups | 100 |
| CONTENT | Water Tank Capacity (L) | 2/6 |
| | Bean Container Capacity (g) | 2x1000 |
| | Capacity canister for instant (chocolat) milk (grams) | 2x1000 |
| | Waste bin (number of puks) | ± 45 |
| | Drip Tray | 4L |
| TECHNICAL SPECIFICATIONS | Power usage 220 - 240V (Watts) | 50/60Hz, 2500 |
| | Grinder | 2x |
| | No of Instant canisters | 2 |
| | Brewer (g) | 6-16 (removable) |
| MILK SYSTEM | Milk Foam | YES |
| | Fresh Milk | YES |
| OTHER | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| | Certificates | CE |
| LIST PRICE | | 2 900 € |



105 cups espresso per hour (DIN18873-2).
Intelligent Cooler.



**2 Bean
2 Powder**



**Fresh Milk
option**

PRO TT300

High Performance. Specialty Coffee. Premium.

Technical data

| | | |
|---------------------------------|---|----------------------------|
| DIMENSIONS | Depth (mm) | 560 |
| | Width (mm) | 380 |
| | Height (mm) | 675 |
| | Weight (kg) | 33 |
| | Touch Screen (inch) | 10" (horizontal) |
| | Spout Height (mm) | 100-160 |
| RECOMMENDED USE | Recommended Daily Cups | 200 |
| CONTENT | Water Tank Capacity (L) | 4 |
| | Bean Container Capacity (g) | 2X100 |
| | Capacity canister for instant (chocolat) milk (grams) | 2x1200 |
| | Waste bin (number of puks) | ± 45 |
| | Drip Tray | 2L |
| TECHNICAL SPECIFICATIONS | Power usage 220 - 240V (Watts) | 50/60Hz, 2600 |
| | Grinder | 2x |
| | No of Instant canisters | 2 |
| | Brewer (g) | 9-22 |
| MILK SYSTEM | Milk Foam | YES |
| | Fresh Milk | YES |
| OTHER | User Interface Language | EN, DE, HU, SK, CZ, RO, HR |
| | Certificates | CE |
| LIST PRICE | | 3 200 € |







2 Boilers & Metal side panel upgrade version of PRO TT95. Cold Milk.



**2 Bean
2 Powder**



**Fresh Milk
option**

| | | OPROO MILK COOLER | | OPROO PRO MILK COOLER | |
|-----------------------|---------------------|--|---|---|---|
| | | TT51C | TT90C | PRO TT55C | PRO TT300C |
| PICTURES | |  |  |  |  |
| | DIMENSIONS | Depth (mm) | 400 | 420 | 220 |
| | Width (mm) | 220 | 240 | 450 | 250 |
| | Height (mm) | 402 | 610 | 456 | 479 |
| | Weight (kg) | 12 | 14 | 14,1 | 16 |
| | Cooler Size (L) | 6,5 | 10 | 10 | 10 |
| | Milk Tank Size (L) | 4 | 6 | 5 | 4 |
| SPECIFICATIONS | Temperature Range | 0-4°C | 1-5°C | 0.8-5.5°C | 0-4°C |
| | Voltage / Frequency | 220V / 50Hz | | 220V / 50Hz | |
| | Rated Power (W) | 48 | 65 | 110-120 | 115 |
| LIST PRICE | | 420 € | 550 € | 450 € | 650 € |

SCAN FOR PRODUCT INFORMATION

TT51 C



TT90 C



PRO TT55 C



PRO TT300 C





CONTACT US:

Address

1103 Budapest, Gyömrői út 150

Website

www.oproo.com

Phone

EN: +36 302573079
DE: +49 1722996801

E-mail

info@oproo.com

