
OPERATOR-FOCUSED VENDING

Built for daily operation.

Snack & drink vending. Frozen products.



OPROO ECO 01



OPROO PRO 02

EUROPEAN STOCK

FLEXIBLE LAYOUTS

LOCAL SUPPORT

Reliable solutions. Trusted partnership.

OPERATOR FOCUS

Experience behind every machine.

Practical vending solutions, backed by the industry experience of Quvend Zrt.



A partner for everyday operation.

OPROO designs and supplies vending solutions for real operating conditions. Our focus is machine reliability, efficient servicing and flexible product layouts.

Founded in 2017, Quvend Zrt. combines 20+ years of vending experience, including 15 years in operations and 8 in wholesale distribution.

2017

Quvend Zrt. founded

Budapest

Warehouse & showroom

EU stock

Machines & spare parts

FIND YOUR MODEL

One portfolio. More possibilities.

Choose your machine by product format, location and configuration.

MODEL	W × D × H / MM	FORMAT	PAGE
ECO SN06	732 × 790 × 1920	Spiral vending	05
ECO SN08	855 × 790 × 1920	Spiral vending	06
ECO SN10	1036 × 790 × 1920	Spiral vending	07
ECO SN12	1190 × 790 × 1920	Spiral vending	08
PRO SN06	740 × 865 × 1920	Spiral vending	09
PRO SN08	965 × 865 × 1920	Spiral vending	10
PRO SN10	1130 × 865 × 1920	Spiral vending	11
PRO SN12	1340 × 865 × 1920	Spiral vending	12
PRO SN08 LIFT	965 × 865 × 1920	Lift	13
PRO SN10 LIFT	1130 × 865 × 1920	Lift	14
PRO SN10 HS	1190 × 865 × 1920	High Security	15
PRO IC05	875 × 990 × 1920	Frozen	16

Also in the wider OPROO portfolio: coffee machines, milk coolers and payment terminals. Visit oproo.com for the complete range.


SERIES COMPARISON

Choose the right platform.

Core vending features across both series, with additional construction and configuration options in PRO.



ECO SN



PRO SN

Interior	Silver walls / black spirals	Black
Shelf construction	Metal + plastic	100% metal
Spiral length	450 mm	500 mm
Body	Two doors	One door
Temperature	0 to 25°C	2 to 20°C
Refrigerant	R1234YF	R290
Energy class	D	C
Model options	SN06 / 08 / 10 / 12	Standard / Lift / HS
USB service port	Not listed	Updates & diagnostics
Design customization	Not offered	Optional above 50 units

Shared features: MDB compatibility, nano-coated heated glass, LED lighting, drop sensor and Budapest spare-parts support. Model-specific details follow.

OPROO ECO / TECHNICAL DATA

ECO SN06

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
732 × 790 × 1920	0 to 25°C	316 products

CONSTRUCTION	
Weight	215 kg
Installation	Indoor
Body	Two doors
Exterior	Matt black
Interior	Silver walls / black spirals
Shelves	Metal + plastic
Spiral length	450 mm
Double spiral	Ready
Spiral width	6 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R1234YF**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**D**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Not offered



ECO SN06

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	PCS
1	17	Snacks / chips	7L	7R	7L	7R	5L	5R	**38**
2	18	Snacks	15L	15R	15L	15R	15L	15R	**90**
3	18	Snacks	11L	11R	11L	11R	15L	15R	**74**
4	26	0.5 L PET	5L	5R	5L	5R	5L	5R	**36**
5	26	0.5 L PET	6L	6L	6L	6R	6L	6R	**36**
6	18	0.33 L cans	7L	7R	7L	7R	7L	7R	**42**

Source capacities retained; tray 4 total requires confirmation.

OPROO ECO / TECHNICAL DATA

ECO SN08

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
855 × 790 × 1920	0 to 25°C	420 products

CONSTRUCTION	
Weight	240 kg
Installation	Indoor
Body	Two doors
Exterior	Matt black
Interior	Silver walls / black spirals
Shelves	Metal + plastic
Spiral length	450 mm
Double spiral	Ready
Spiral width	8 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R1234YF**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**D**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Not offered



ECO SN08

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	PCS
1	17	Snacks / chips	7L	7R	7L	7R	7L	7R	5L	5R	**52**
2	18	Snacks	15L	15R	15L	15R	15L	15R	15L	15R	**120**
3	18	Snacks	11L	11R	11L	11R	11L	11R	15L	15R	**96**
4	26	0.5 L PET	5L	5R	5L	5R	5L	5R	5L	5R	**48**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	**48**
6	18	0.33 L cans	7L	7R	7L	7R	7L	7R	7L	7R	**56**

Source capacities retained; tray 4 total requires confirmation.

OPROO ECO / TECHNICAL DATA

ECO SN10

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1036 × 790 × 1920	0 to 25°C	528 products

CONSTRUCTION	
Weight	261 kg
Installation	Indoor
Body	Two doors
Exterior	Matt black
Interior	Silver walls / black spirals
Shelves	Metal + plastic
Spiral length	450 mm
Double spiral	Ready
Spiral width	10 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R1234YF**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**D**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Not offered



ECO SN10

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	PCS
1	17	Snacks / chips	7L	7R	7L	7R	7L	7R	5L	5R	5L	5R	**62**
2	18	Snacks	15L	15R	15L	15R	15L	15R	15L	15R	15L	15R	**150**
3	18	Snacks	11L	11R	11L	11R	11L	11R	15L	15R	15L	15R	**126**
4	26	0.5 L PET	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	**60**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
6	18	0.33 L cans	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	**70**

Source capacities retained; tray 4 total requires confirmation.

OPROO ECO / TECHNICAL DATA

ECO SN12

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1190 × 790 × 1920	0 to 25°C	610 products

CONSTRUCTION	
Weight	280 kg
Installation	Indoor
Body	Two doors
Exterior	Matt black
Interior	Silver walls / black spirals
Shelves	Metal + plastic
Spiral length	450 mm
Double spiral	Ready
Spiral width	12 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R1234YF**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**D**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Not offered



ECO SN12

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	11	12	PCS
1	17	Snacks / chips	7L	7R	7L	7R	7L	7R	7L	7R	5L	5R	5L	5R	**76**
2	18	Snacks	15L	15R	15L	15R	15L	15R	15L	15R	15L	15R	15L	15R	**150**
3	18	Snacks	11L	11R	11L	11R	11L	11R	15L	15R	15L	15R	15L	15R	**156**
4	26	0.5 L PET	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	**72**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**72**
6	18	0.33 L cans	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	**84**

Source capacities retained; trays 2 and 4 require confirmation.

OPROO PRO / TECHNICAL DATA

PRO SN06

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
740 × 865 × 1920	2 to 20°C	338 products

CONSTRUCTION	
Weight	245 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	6 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE + TÜV
Design customization	Optional above 50 units



PRO SN06

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	PCS
1	17	Snacks / chips	8L	8R	8L	8R	5L	5R	**42**
2	18	Snacks	16L	16R	16L	16R	16L	16R	**96**
3	18	Snacks	12L	12R	12L	12R	16L	16R	**80**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	**36**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	**36**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	**48**

L/R: spiral direction. Nominal capacity: 338 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO SN08

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
965 × 865 × 1920	2 to 20°C	450 products

CONSTRUCTION	
Weight	275 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	8 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE + TÜV
Design customization	Optional above 50 units



PRO SN08

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	5L	5R	**58**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	**128**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	**104**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	**48**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	**48**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	**64**

L/R: spiral direction. Nominal capacity: 450 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA


PRO SN10

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1130 × 865 × 1920	2 to 20°C	564 products

CONSTRUCTION	
Weight	300 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	10 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE + TÜV
Design customization	Optional above 50 units



PRO SN10

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	5L	5R	5L	5R	**68**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	**160**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	**136**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	**80**

L/R: spiral direction. Nominal capacity: 564 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO SN12

Snack & drink vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1340 × 865 × 1920	2 to 20°C	684 products

CONSTRUCTION	
Weight	320 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	12 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE + TÜV
Design customization	Optional above 50 units



PRO SN12

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	11	12	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	8L	8R	5L	5R	5L	5R	**84**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	**192**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	16L	16R	**168**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**72**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**72**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	**96**

L/R: spiral direction. Nominal capacity: 684 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO SN08 LIFT

Lift vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
965 × 865 × 1920	2 to 20°C	450 products

CONSTRUCTION	
Weight	290 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	8 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Optional above 50 units



PRO SN08 LIFT

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	5L	5R	**58**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	**128**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	**104**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	**48**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	**48**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	**64**

L/R: spiral direction. Nominal capacity: 450 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO SN10 LIFT

Lift vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1130 × 865 × 1920	2 to 20°C	564 products

CONSTRUCTION	
Weight	315 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	10 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Optional above 50 units



PRO SN10 LIFT

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	5L	5R	5L	5R	**68**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	**160**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	**136**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	**80**

L/R: spiral direction. Nominal capacity: 564 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO SN10 HS

High Security / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
1190 × 865 × 1920	2 to 20°C	564 products

CONSTRUCTION	
Weight	360 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	10 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Both
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE + TÜV
Design customization	Optional above 50 units



PRO SN10 HS

Original product illustration

STANDARD SPIRAL CONFIGURATION

TRAY	CM	PRODUCT	01	02	03	04	05	06	07	08	09	10	PCS
1	17	Snacks / chips	8L	8R	8L	8R	8L	8R	5L	5R	5L	5R	**68**
2	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	**160**
3	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	**136**
4	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
5	26	0.5 L PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	**60**
6	18	0.33 L cans	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	**80**

L/R: spiral direction. Nominal capacity: 564 products. Tray heights total 123 cm.

OPROO PRO / TECHNICAL DATA

PRO IC05

Frozen vending / Indoor

W × D × H / MM	TEMPERATURE	STANDARD CAPACITY
875 × 990 × 1920	-22 to 0°C	5-wide layout

CONSTRUCTION	
Weight	310 kg
Installation	Indoor
Body	One door
Exterior	Matt black
Interior	Black
Shelves	100% metal
Spiral length	500 mm
Double spiral	Ready
Spiral width	5 positions

TECHNOLOGY	
Glass	Nano-coated / heated / break-resistant
Refrigerant	**R290**
Cooling / heating	Cooling
LED lighting	Yes
Drop sensor	Yes
Energy class	**C**
Cash / coins	Yes
Banknote validator space	Yes
MDB compatibility	Yes
Compliance	CE
Design customization	Optional above 50 units



PRO IC05

Original product illustration

PRODUCT FORMAT

Frozen product vending

Five-wide spiral layout with 500 mm spirals and a -22 to 0°C temperature range. Indoor installation, LED lighting and drop sensor.

CONFIGURATION

Make it fit your operation.

PRO design options for your product mix, branding and service requirements.



Your machine.
Your setup.

Configure the exterior and internal layout around the products you sell and the places you operate.

Design customization is listed in the source catalogue as optional above 50 units. Availability depends on the model and project.

Discuss your configuration

info@oproo.com

01 Exterior colour
Match your brand or location.

02 Interior colour
Create a consistent internal finish.

03 Spirals & shelves
Adapt layouts to product sizes.

04 LED lighting
Selectable colours at the dispensing area.

05 Two-door body
A project-specific body option.

06 Metal protection set
Protect the dispensing area and side panel.

07 Individual handle
A distinctive grip and appearance.

08 Wheels
Move and position the machine more easily.

BEYOND THE MACHINE

Built around daily operation.

Machine selection, flexible layouts and practical support from Budapest.

01

Local stock & parts

Machines and original spare parts supplied from Budapest.

02

Service continuity

Local support and an optional one- or two-year warranty extension.

03

Flexible projects

Trade-in options, machine combinations and project-specific configurations.

04

Robust construction

Metal bodies and practical layouts designed for servicing and replenishment.

Common technical details

Payment compatibility	MDB: Nayax, Televend, PayTer and OPROO Terminal.
Interface & manual languages	EN, DE, HU, SK, BG, CZ, RO, HR, P (codes as listed in the source).
Standard snack layout	2 PET trays, 1 can tray and 3 snack trays; configurable on request.
Exterior colour options	Source lists 50+ individual colours; ECO design options are restricted.
Compliance documentation	CE marking; TÜV is listed for selected models. Check each model page.
Related portfolio	Coffee machines, milk coolers and payment terminals.

Specifications and illustrations may change. Confirm the final model, options and documentation before ordering.

Let’s find your next machine.

Tell us your product range, location and operating requirements.

BUDAPEST

Warehouse & showroom

1103 Budapest, Gyömrői út 150, Hungary

E-MAIL

info@oproo.com

WEBSITE

www.oproo.com

ENGLISH

+36 70 362 5452

GERMAN

+49 172 299 6801

Reliable solutions. Trusted partnership.

OPROO is operated by Quvend Zrt.