



OPROO



SNACK MACHINES FROZEN FOOD VENDING SMART COOLER

SMART VENDING SOLUTIONS

About OPROO

Smart Vending Solutions Built for Real Operators

At OPROO, we believe vending should be simple, reliable, and profitable for operators.

That's why we design and deliver modern vending solutions that work in real-world conditions — not just in showrooms.

Our mission is clear: make professional vending accessible, without compromising on quality, performance, or long-term value.

Backed by QUVend Zrt., OPROO combines deep industry expertise with practical innovation to help vending operators grow efficiently and sustainably.

Experience that powers results

With over 20 years of experience in the vending industry, including 15 years in operations and 8 years in wholesale distribution, QUVend Zrt. has become one of the leading vending wholesalers in Central and Eastern Europe since its founding in 2017.

We understand the daily challenges operators face because we've worked in the field ourselves. From machine reliability to service efficiency, our solutions are built around what truly matters in everyday operation.





Nine Reasons Operators Trust OPROO

Practical benefits and services that make the difference.



Spare Parts & Local Support

Large machine stock in Budapest



Premium Certified Quality

CE, SGS, also TÜV, EPREL LABEL



Option for extended warranty

+1 (200EUR) or +2 years 400EUR



Flexible configurations

and personalized offers for every project.



Value for money

Prices are about par on a refurbished used machine



Robust construction

Metal body, minimal plastic, designed for long service life



TRADE in option

for your used machines



Option

We spiral machines as you ask (200EUR)



Combo Offers

Take with coffee and get 100EUR discount



Check out OPROO machines

Solutions for every need.



ECO SN SERIES



PRO SN SERIES



PRO SN LIFT



PRO SN OUTDOOR



PRO ICE CREAM



PRO SMART COOLER



COFFEE MACHINES



PRO COFFEE MACHINES



MILK COOLER



PAYMENT TERMINAL

Modell Line	ECO SN SERIES				PRO SN SERIES				PRO SN LIFT		PRO SN OUTDOOR / HIGH SECURITY		PRO FROZEN FOOD	PRO SMART COOLER			
Picture																	
Modell Name	ECO SN06	ECO SN08	ECO SN10	ECO SN12	PRO SN06	PRO SN08	PRO SN10	PRO SN12	PRO SN08 LIFT	PRO SN10 LIFT	PRO SN08 HS	PRO SN10 HS	PRO IC05	PRO SC AI			
DIMENSIONS	Depth (mm)	790	790	790	790	865	865	865	865	865	865	865	865	990	665		
	Width (mm)	732	855	1036	1190	740	965	1130	1340	965	1130	1025	1190	875	745		
	Height (mm)	1920	1920	1920	1920	1920	1920	1920	1920	1920	1920	1920	1920	1920	2030		
	Weight (kg)	215	240	261	280	245	275	300	320	290	315	320	360	310	90		
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible				Standard Matt Black, about 50+ individual possible											
	Glass	nano-coated, breakproof- anti-fog-heating				nano-coated, breakproof- anti-fog-heating											
	Outdoor/Indoor Use	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Outdoor	Outdoor	Indoor	Indoor		
	Body Type	two door	two door	two door	two door	one door	one door	one door	one door	one door	one door	one door	one door	one door	one door	one door	
INTERNAL	Internal Color	Silver walls, black spiral				Black, or 50+ customization possible											
	Shelve Material	metal+plastic				100% metal											
	Spiral Lenght (mm)	450				500										N/A	
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request				EU standard (2PET, 1CAN, 3 snack)- customizable, after request										6 shelves	
	Double Spiral	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	N/A	
	Capacity (*spiral width)	6*	8*	10*	12*	6*	8*	10*	12*	8*	10*	8*	10*	5*	650 cm Int. W		
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	no		
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal				MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal											
	Space for banknote validator	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	no		
	Cash	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	no		
	Gas Type	R1234YF				R290											
	Temperature	0-25C Cooling and heating				2-20C Cooling and heating										-22-0C	2-15C
	Led Lightning	YES				YES											
	Drop Sensor	YES				YES											
	Energy Class	C	C	C	B	C	B	B	B	B	B	B	B	B	B	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+ coffee)				Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+ coffee)											
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR				EN, DE, HU, SK, CZ, RO, HR											
	Certificates	CE	CE	CE	CE	CE + TÜV	CE + TÜV	CE + TÜV	CE + TÜV	CE	CE	CE + TÜV	CE + TÜV	CE	CE		
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR				GB, DE, HU, SK, BG, CZ, RO, HR											
	Spare Parts Supply	EU stock: Budapest				EU stock: Budapest											
CUSTOMIZATION	Options: Design led lights, wheels, external color, internal color, metal set	no				Optional above 50 pcs											
LIST PRICE	2 000 €	2 200 €	2 300 €	2 500 €	2 250 €	2 450 €	2 650 €	2 800 €	2 900 €	3 150 €	3 500 €	3 800 €	3 900 €	2 400 €			

We reserve the right to modify specifications and content without prior notice and shall not be held liable for any inaccuracies, errors, omissions, or damages arising from the use of this document.



OPROO ECO SN06

Technical data



DIMENSIONS	Depth (mm)	790
	Width (mm)	732
	Height (mm)	1920
	Weight (kg)	215
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	two door
INTERNAL	Internal Color	Silver walls, black spiral
	Shelve Material	metal+plastic
	Spiral Lenght (mm)	450
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	6*
TECHNOLOGY	Coin compatibility (Inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R1234YF
	Temperature	0-25C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	C
	LOCALIZATION	Special Offer
User Interface Language		EN, DE, HU, SK, CZ, RO, HR
Certificates		CE
User Manual		GB, DE, HU, SK, BG, CZ, RO, HR
Spare Parts Supply		EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, internal color, metal set	no
LIST PRICE		2 000 €



Standard Spiral Configuration OPROO ECO SN06

Tray Height (CM)	Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17 Snacks/chips	7L	7R	7L	7R	5L	5R	38
2 Layer	18 Snacks	15 L	15 R	15 L	15 R	15 L	15 R	90
3 Layer	18 Snacks	11 L	11 R	11 L	11 R	15L	15 R	74
4 Layer	26 0,5 PET	5L	5R	5L	5R	5L	5R	36
5 Layer	26 0,5 PET	6L	6L	6L	6R	6L	6R	36
6 Layer	18 0,33 CAN	7L	7R	7L	7R	7L	7R	42
Total	123							316

* (from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO ECO SN08

Technical data



DIMENSIONS	Depth (mm)	790
	Width (mm)	855
	Height (mm)	1920
	Weight (kg)	240
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	two door
INTERNAL	Internal Color	Silver walls, black spiral
	Shelve Material	metal+plastic
	Spiral Length (mm)	450
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	8*
TECHNOLOGY	Coin compatibility (Inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R1234YF
	Temperature	0-25C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	C
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	no
LIST PRICE		2 200 €



Standard Spiral Configuration OPROO ECO SN08

Tray Height (CM)	Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17 Snacks/chips	7L	7R	7L	7R	7L	7R	5L	5R	52
2 Layer	18 Snacks	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	120
3 Layer	18 Snacks	11 L	11 R	11 L	11 R	11 L	11 R	15 L	15 R	96
4 Layer	26 0,5 PET	5L	5R	5L	5R	5L	5R	5L	5R	48
5 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	48
6 Layer	18 0,33 CAN	7L	7R	7L	7R	7L	7R	7L	7R	56
Total	123									420

*(from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO ECO SN10

Technical data



DIMENSIONS	Depth (mm)	790
	Width (mm)	1036
	Height (mm)	1920
	Weight (kg)	261
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	two door
INTERNAL	Internal Color	Silver walls, black spiral
	Shelve Material	metal+plastic
	Spiral Lenght (mm)	450
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	10*
TECHNOLOGY	Coin compatibility (Inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R1234YF
	Temperature	0-25C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	C
	LOCALIZATION	Special Offer
User Interface Language		EN, DE, HU, SK, CZ, RO, HR
Certificates		CE
User Manual		GB, DE, HU, SK, BG, CZ, RO, HR
Spare Parts Supply		EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	no
LIST PRICE		2 300 €



Spiral Configuration for OPROO ECO SN10

Tray Height (CM)	Products	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Total Capacity per Layer
1 Layer	17 Snacks/chips	7L	7R	7L	7R	7L	7R	5 L	5 R	5 L	5 R	62
2 Layer	18 Snacks	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	150
3 Layer	18 Snacks	11 L	11 R	11 L	11 R	11 L	11 R	15 L	15 R	15 L	15 R	126
4 Layer	26 0,5 PET	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	60
5 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	60
6 Layer	18 0,33 CAN	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	70
Total	123											528

* (from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO ECO SN12

Technical data



DIMENSIONS	Depth (mm)	790
	Width (mm)	1190
	Height (mm)	1920
	Weight (kg)	280
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	two door
INTERNAL	Internal Color	Silver walls, black spiral
	Shelve Material	metal+plastic
	Spiral Length (mm)	450
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	12*
TECHNOLOGY	Coin compatibility (Inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R1234YF
	Temperature	0-25C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	B
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	no
LIST PRICE		2.500 €



Spiral Configuration for OPROO ECO SN12

Tray Height (CM)	Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17 Snacks/chips	7L	7R	7L	7R	7L	7R	7L	7R	5L	5R	5L	5R	76
2 Layer	18 Snacks	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	15 L	15 R	150
3 Layer	18 Snacks	11 L	11 R	11 L	11 R	11 L	11 R	11 L	11 R	15 L	15 R	15 L	15 R	156
4 Layer	26 0,5 PET	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	5L	5R	72
5 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	72
6 Layer	18 0,33 CAN	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	7L	7R	84
Total	123													610

* (from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO PRO SN06

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	740
	Height (mm)	1920
	Weight (kg)	245
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	6*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	C	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		2 250 €



Standard Spiral Configuration OPROO PRO SN06									
Tray Height(CM)	Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer	
1 Layer	17 Snacks/chips	8L	8R	8L	8R	5L	5R	42	
2 Layer	18 Snacks	16L	16R	16L	16R	16L	16R	96	
3 Layer	18 Snacks	12L	12R	12L	12R	16L	16R	80	
4 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	36	
5 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	36	
6 Layer	18 0,33 CAN	8L	8R	8L	8R	8L	8R	48	
Total	123							338	

* (from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO PRO SN08

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	965
	Height (mm)	1920
	Weight (kg)	275
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use Body Type	Indoor one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral Capacity (*spiral width)	Ready 8*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		2 450 €



Standard Spiral Configuration OPROO PRO SN08											
Tray Height (CM)		Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17	Snacks/chips	8L	8R	8L	8R	8L	8R	5 L	5 R	58
2 Layer	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	128
3 Layer	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	104
4 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	48
5 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	48
6 Layer	18	0,33 CAN	8L	8R	8L	8R	8L	8R	8L	8R	64
Total	123										450

*(from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO PRO SN10

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	1130
	Height (mm)	1920
	Weight (kg)	300
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Lenght (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack) - customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	10*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	B
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, internal color, metal set	Optional above 50 pcs
LIST PRICE		2 650 €



Spiral Configuration for OPROO PRO SN10

Tray Height (CM)		Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17	Snacks/chips	8L	8R	8L	8R	8L	8R	5 L	5 R	5 L	5 R	68
2 Layer	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	160
3 Layer	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	136
4 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	60
5 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	60
6 Layer	18	0,33 CAN	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	80
Total	123												564

*(from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO PRO SN12

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	1340
	Height (mm)	1920
	Weight (kg)	320
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	12*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		2.800 €



Spiral Configuration for OPROO PRO SN12

Tray Height (CM)		Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17	Snacks/chlps	8L	8R	8L	8R	8L	8R	5 L	5 R	5 L	5 R	84
2 Layer	18	Snacks	16L	16R	16L	16R	16L	16R	16L	16R	16L	16R	192
3 Layer	18	Snacks	12L	12R	12L	12R	12L	12R	16L	16R	16L	16R	168
4 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	72
5 Layer	26	0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	6L	6R	72
6 Layer	18	0,33 CAN	8L	8R	8L	8R	8L	8R	8L	8R	8L	8R	96
Total	123												684

* (from top to bottom of the shelf, after from bottom of the shelf to the bottom of the shelf)



OPROO PRO SN08 LIFT

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	965
	Height (mm)	1920
	Weight (kg)	290
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	8*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		2 900 €



Standard Spiral Configuration OPROO PRO SN08 LIFT

Capacity/Slot (PCS)	Products	Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Capacity/Slot (PCS)		Total Capacity per Layer
1 Layer	17 Snacks/ch	8L	8R	8L	8R	8L	8R	5 L	5 R	58
2 Layer	18 Snacks	16L	16R	16L	16R	16L	16R	16L	16R	128
3 Layer	18 Snacks	12L	12R	12L	12R	12L	12R	16L	16R	104
4 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	48
5 Layer	26 0,5 PET	6L	6R	6L	6R	6L	6R	6L	6R	48
6 Layer	18 0,33 CAN	8L	8R	8L	8R	8L	8R	8L	8R	64
Total	123									450

* (from top to bottom of the shelve, after from bottom of the shelve to the bottom of the shelve)



OPROO PRO SN10 LIFT

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	1130
	Height (mm)	1920
	Weight (kg)	315
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	10*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	B
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		3150 €



Spiral Configuration for OPROO PRO SN10 LIFT

Capacity/Slot (PCS)	Products	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Total Capacity per Layer
1 Layer	17 Snacks/ch	8L 8R	8L 8R	8L 8R	8L 8R	5 L 5 R	5 L 5 R	68
2 Layer	18 Snacks	16L 16R	16L 16R	16L 16R	16L 16R	16L 16R	16L 16R	160
3 Layer	18 Snacks	12L 12R	12L 12R	12L 12R	12L 12R	16L 16R	16L 16R	136
4 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	60
5 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	60
6 Layer	18 0,33 CAN	8L 8R	8L 8R	8L 8R	8L 8R	8L 8R	8L 8R	80
Total	123							564

* (from top to bottom of the shelve, after from bottom of the shelve to the bottom of the shelve)




OPROO PRO SN08 HS

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	1025
	Height (mm)	1920
	Weight (kg)	320
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Outdoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack) - customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	8*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Teleview, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		3 500 €



Standard Spiral Configuration OPROO PRO SN08 HS

Capacity/Slot (PCS)	Products	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Total Capacity per Layer
1 Layer	17 Snacks/ch	8L 8R	8L 8R	8L 8R	8L 8R	5 L 5 R	58
2 Layer	18 Snacks	16L 16R	16L 16R	16L 16R	16L 16R	16L 16R	128
3 Layer	18 Snacks	12L 12R	12L 12R	12L 12R	12L 12R	16L 16R	104
4 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	48
5 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	48
6 Layer	18 0,33 CAN	8L 8R	8L 8R	8L 8R	8L 8R	8L 8R	64
Total	123						450

*(from top to bottom of the shelve, after from bottom of the shelve to the bottom of the shelve)




OPROO PRO SN10 HS

Technical data



DIMENSIONS	Depth (mm)	865
	Width (mm)	1190
	Height (mm)	1920
	Weight (kg)	360
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Outdoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack) - customizable, after request
	Double Spiral	Ready
	Capacity (*spiral width)	10*
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	2-20C Cooling and heating
	Led Lightning	YES
	Drop Sensor	YES
	Energy Class	B
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE + TÜV
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, Internal color, metal set	Optional above 50 pcs
LIST PRICE		3 800 €



Spiral Configuration for OPROO PRO SN10 HS

Capacity/Slot (PCS)	Products	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Capacity/Slot (PCS)	Total Capacity per Layer
1 Layer	17 Snacks/ch	8L 8R	8L 8R	8L 8R	8L 8R	5 L 5 R	5 L 5 R	68
2 Layer	18 Snacks	16L 16R	16L 16R	16L 16R	16L 16R	16L 16R	16L 16R	160
3 Layer	18 Snacks	12L 12R	12L 12R	12L 12R	12L 12R	16L 16R	16L 16R	136
4 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	60
5 Layer	26 0,5 PET	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	6L 6R	60
6 Layer	18 0,33 CAN	8L 8R	8L 8R	8L 8R	8L 8R	8L 8R	8L 8R	80
Total	123							564

* (from top to bottom of the shelve, after from bottom of the shelve to the bottom of the shelve)



OPROO PRO IC05

Technical data



DIMENSIONS	Depth (mm)	990
	Width (mm)	875
	Height (mm)	1920
	Weight (kg)	310
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	500
	Shelving	EU standard (2PET, 1CAN, 3 snack)- customizable, after request
	Double Spiral	Ready
Capacity (*spiral width)	5*	
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	YES
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	YES
	Cash	YES
	Gas Type	R290
	Temperature	-22-0C
	Led Lightning	YES
	Drop Sensor	YES
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
	Spare Parts Supply	EU stock: Budapest
CUSTOMIZATION	Options: Design led lights, wheels, external color, internal color, metal set	Optional above 50 pcs
LIST PRICE		3 900 €





OPROO PRO SC AI

Technical data



DIMENSIONS	Depth (mm)	665
	Width (mm)	745
	Height (mm)	2030
	Weight (kg)	90
EXTERNAL	Outside Painting	Standard Matt Black, about 50+ individual possible
	Glass	nano-coated, breakproof- anti-fog-heating
	Outdoor/Indoor Use	Indoor
	Body Type	one door
INTERNAL	Internal Color	Black, or 50+ customization possible
	Shelve Material	100% metal
	Spiral Length (mm)	N/A
	Shelving	6 shelves
	Double Spiral	N/A
Capacity (*spiral width)	650 cm int. W	
TECHNOLOGY	Coin compatibility (inlet, slides, cashier)	no
	MDB compatibility	MDB compatible (like Nayax, Televend, PayTer, etc.), OPROO Terminal
	Space for banknote validator	no
	Cash	no
	Gas Type	R290
	Temperature	2-15C
	Led Lightning	YES
Drop Sensor	N/A	
Energy Class	B	
LOCALIZATION	Special Offer	Trade In, Price Match, Low price warranty, Extended warranty option, Combo Promotions (snack+coffee)
	User Interface Language	EN, DE, HU, SK, CZ, RO, HR
	Certificates	CE
	User Manual	GB, DE, HU, SK, BG, CZ, RO, HR
Spare Parts Supply	EU stock: Budapest	
CUSTOMIZATION	Options: Design led lights, wheels, external color, internal color, metal set	Optional above 50 pcs
	LIST PRICE	2 400 €





OPROO PRO CUSTOMIZATION

Solutions



EXTERNAL COLOR

The exterior color of the machine can be customized to match your brand or location.

1



INTERNAL COLOR

Internal components can be finished in a selected color for a clean and consistent look.


2



SPIRAL / SHELF CONFIGURATION

Spirals and shelves can be configured to fit different product sizes and formats.

3



LED LIGHTING

Two LEDs with selectable colors installed by the dispensing area to enhance visibility.

4



TWO DOOR BODY

Two-door construction allows easier loading, service access, and maintenance.

7

WHEELS



Integrated wheels enable easy movement and flexible machine placement.

8

METAL SET



Two metal parts protecting the dispensing area and side panel.

5

INDIVIDUAL HANDLE



Personalized handle for better grip and distinctive look.

6



CONTACT US:

Address

1103 Budapest, Gyömrői út 150

Website

www.oproo.com

Phone

EN: +36 302573079
DE: +49 1722996801

E-mail

info@oproo.com

